

COST ^{VS.} VALUE 2016

www.costvsvalue.com

remodeling
YOUR TOOLBOX FOR SUCCESS

PROJECT TYPE	BALTIMORE			SOUTH ATLANTIC			2015 NATIONAL AVERAGES		
	Job Cost	Resale Value	Cost Recouped	Job Cost	Resale Value	Cost Recouped	Job Cost	Resale Value	Cost Recouped
MIDRANGE									
Attic Insulation (fiberglass)	\$1,334	\$1,392	104.3%	\$1,241	\$1,624	130.9%	\$1,268	\$1,482	116.9%
Backup Power Generator	12,693	5,931	46.7%	12,123	7,784	64.2%	12,712	7,556	59.4%
Basement Remodel	68,193	45,357	66.5%	62,777	46,170	73.5%	68,490	48,194	70.4%
Bathroom Addition	42,696	20,962	49.1%	38,869	22,447	57.8%	42,233	23,727	56.2%
Bathroom Remodel	18,070	11,680	64.6%	16,534	11,639	70.4%	17,908	11,769	65.7%
Deck Addition (composite)	16,760	10,396	62.0%	15,915	11,018	69.2%	16,798	10,819	64.4%
Deck Addition (wood)	10,179	7,241	71.1%	9,486	7,649	80.6%	10,471	7,850	75.0%
Entry Door Replacement (fiberglass)	3,128	2,128	68.0%	3,076	2,532	82.3%	3,126	2,574	82.3%
Entry Door Replacement (steel)	1,346	1,198	89.0%	1,293	1,267	98.0%	1,335	1,217	91.1%
Family Room Addition	86,207	48,120	55.8%	80,054	54,622	68.2%	86,615	58,807	67.9%
Garage Door Replacement	1,624	1,429	88.0%	1,561	1,517	97.2%	1,652	1,512	91.5%
Major Kitchen Remodel	59,387	34,276	57.7%	56,901	36,438	64.0%	59,999	38,938	64.9%
Manufactured Stone Veneer	7,510	7,471	99.5%	7,499	7,004	93.4%	7,519	6,988	92.9%
Master Suite Addition	116,507	59,625	51.2%	108,030	71,556	66.2%	115,810	74,224	64.1%
Minor Kitchen Remodel	20,057	14,222	70.9%	18,907	16,425	86.9%	20,122	16,716	83.1%
Roofing Replacement	19,114	10,900	57.0%	18,898	14,338	75.9%	20,142	14,446	71.7%
Siding Replacement	14,170	10,638	75.1%	13,206	10,244	77.6%	14,100	10,857	77.0%
Two-Story Addition	171,928	104,000	60.5%	162,714	110,888	68.1%	171,056	118,555	69.3%
UPSCALE									
Bathroom Addition	\$80,246	\$34,769	43.3%	\$75,037	\$44,545	59.4%	\$79,380	\$45,006	56.7%
Bathroom Remodel	58,307	28,160	48.3%	54,975	33,132	60.3%	57,411	32,998	57.5%
Deck Addition (composite)	38,057	19,433	51.1%	35,878	22,135	61.7%	37,943	21,877	57.7%
Garage Door Replacement	3,204	2,693	84.0%	3,102	2,889	93.1%	3,140	2,830	90.1%
Grand Entrance (fiberglass)	8,032	4,536	56.5%	7,825	5,635	72.0%	7,971	5,545	69.6%
Major Kitchen Remodel	119,558	74,615	62.4%	116,095	71,472	61.6%	119,909	73,707	61.5%
Master Suite Addition	249,255	128,920	51.7%	234,596	132,493	56.5%	245,474	140,448	57.2%
Window Replacement (vinyl)	14,826	9,560	64.5%	14,283	10,614	74.3%	14,725	10,794	73.3%
Window Replacement (wood)	18,091	10,640	58.8%	17,563	13,517	77.0%	18,087	13,050	72.1%

CONFIDENCE LEVEL: 95% +/-4.2

CONFIDENCE LEVEL: 95% +/-2%

PROJECT TYPE	WASHINGTON			SOUTH ATLANTIC			2015 NATIONAL AVERAGES		
	Job Cost	Resale Value	Cost Recouped	Job Cost	Resale Value	Cost Recouped	Job Cost	Resale Value	Cost Recouped
MIDRANGE									
Attic Insulation (fiberglass)	\$1,287	\$1,279	99.4%	\$1,241	\$1,624	130.9%	\$1,268	\$1,482	116.9%
Backup Power Generator	13,057	7,514	57.5%	12,123	7,784	64.2%	12,712	7,556	59.4%
Basement Remodel	71,362	47,585	66.7%	62,777	46,170	73.5%	68,490	48,194	70.4%
Bathroom Addition	44,220	24,361	55.1%	38,869	22,447	57.8%	42,233	23,727	56.2%
Bathroom Remodel	18,642	12,202	65.5%	16,534	11,639	70.4%	17,908	11,769	65.7%
Deck Addition (composite)	17,215	12,372	71.9%	15,915	11,018	69.2%	16,798	10,819	64.4%
Deck Addition (wood)	10,829	9,361	86.4%	9,486	7,649	80.6%	10,471	7,850	75.0%
Entry Door Replacement (fiberglass)	3,153	2,445	77.5%	3,076	2,532	82.3%	3,126	2,574	82.3%
Entry Door Replacement (steel)	1,364	1,299	95.2%	1,293	1,267	98.0%	1,335	1,217	91.1%
Family Room Addition	89,577	54,562	60.9%	80,054	54,622	68.2%	86,615	58,807	67.9%
Garage Door Replacement	1,685	1,717	101.9%	1,561	1,517	97.2%	1,652	1,512	91.5%
Major Kitchen Remodel	61,087	37,514	61.4%	56,901	36,438	64.0%	59,999	38,938	64.9%
Manufactured Stone Veneer	7,539	7,784	103.2%	7,499	7,004	93.4%	7,519	6,988	92.9%
Master Suite Addition	120,603	74,219	61.5%	108,030	71,556	66.2%	115,810	74,224	64.1%
Minor Kitchen Remodel	20,742	19,999	96.4%	18,907	16,425	86.9%	20,122	16,716	83.1%
Roofing Replacement	19,306	13,949	72.3%	18,898	14,338	75.9%	20,142	14,446	71.7%
Siding Replacement	14,410	9,866	68.5%	13,206	10,244	77.6%	14,100	10,857	77.0%
Two-Story Addition	175,013	118,683	67.8%	162,714	110,888	68.1%	171,056	118,555	69.3%
UPSCALE									
Bathroom Addition	\$82,215	\$42,905	52.2%	\$75,037	\$44,545	59.4%	\$79,380	\$45,006	56.7%
Bathroom Remodel	59,223	36,551	61.7%	54,975	33,132	60.3%	57,411	32,998	57.5%
Deck Addition (composite)	39,162	22,087	56.4%	35,878	22,135	61.7%	37,943	21,877	57.7%
Garage Door Replacement	3,216	2,880	89.5%	3,102	2,889	93.1%	3,140	2,830	90.1%
Grand Entrance (fiberglass)	8,090	6,028	74.5%	7,825	5,635	72.0%	7,971	5,545	69.6%
Major Kitchen Remodel	121,452	72,200	59.4%	116,095	71,472	61.6%	119,909	73,707	61.5%
Master Suite Addition	253,786	127,715	50.3%	234,596	132,493	56.5%	245,474	140,448	57.2%
Window Replacement (vinyl)	15,001	10,994	73.3%	14,283	10,614	74.3%	14,725	10,794	73.3%
Window Replacement (wood)	18,361	14,245	77.6%	17,563	13,517	77.0%	18,087	13,050	72.1%

CONFIDENCE LEVEL: 95% +/-4.2

CONFIDENCE LEVEL: 95% +/-2%

PROJECT TYPE	PHILADELPHIA			MIDDLE ATLANTIC			2015 NATIONAL AVERAGES		
	Job Cost	Resale Value	Cost Recouped	Job Cost	Resale Value	Cost Recouped	Job Cost	Resale Value	Cost Recouped
MIDRANGE									
Attic Insulation (fiberglass)	\$1,345	\$1,353	100.6%	\$1,295	\$1,327	102.5%	\$1,268	\$1,482	116.9%
Backup Power Generator	13,835	7,402	53.5%	13,100	7,000	53.4%	12,712	7,556	59.4%
Basement Remodel	78,982	40,167	50.9%	71,766	41,560	57.9%	68,490	48,194	70.4%
Bathroom Addition	49,569	24,449	49.3%	44,721	23,584	52.7%	42,233	23,727	56.2%
Bathroom Remodel	20,771	12,570	60.5%	18,841	10,952	58.1%	17,908	11,769	65.7%
Deck Addition (composite)	18,625	11,398	61.2%	17,280	10,519	60.9%	16,798	10,819	64.4%
Deck Addition (wood)	11,837	7,145	60.4%	10,686	7,595	71.1%	10,471	7,850	75.0%
Entry Door Replacement (fiberglass)	3,238	2,287	70.6%	3,156	2,337	74.1%	3,126	2,574	82.3%
Entry Door Replacement (steel)	1,434	1,111	77.5%	1,366	1,193	87.3%	1,335	1,217	91.1%
Family Room Addition	99,884	61,279	61.4%	90,829	54,120	59.6%	86,615	58,807	67.9%
Garage Door Replacement	1,842	1,775	96.4%	1,690	1,537	91.0%	1,652	1,512	91.5%
Major Kitchen Remodel	65,824	40,632	61.7%	61,399	38,122	62.1%	59,999	38,938	64.9%
Manufactured Stone Veneer	7,697	6,384	82.9%	7,605	7,191	94.5%	7,519	6,988	92.9%
Master Suite Addition	132,257	76,605	57.9%	120,995	72,774	60.1%	115,810	74,224	64.1%
Minor Kitchen Remodel	22,451	16,430	73.2%	20,842	15,560	74.7%	20,122	16,716	83.1%
Roofing Replacement	22,843	13,806	60.4%	20,822	13,890	66.7%	20,142	14,446	71.7%
Siding Replacement	16,332	11,272	69.0%	14,603	10,221	70.0%	14,100	10,857	77.0%
Two-Story Addition	192,824	128,228	66.5%	176,827	113,890	64.4%	171,056	118,555	69.3%
UPSCALE									
Bathroom Addition	\$89,057	\$44,791	50.3%	\$82,700	\$45,072	54.5%	\$79,380	\$45,006	56.7%
Bathroom Remodel	62,827	34,541	55.0%	59,536	32,644	54.8%	57,411	32,998	57.5%
Deck Addition (composite)	42,661	24,598	57.7%	39,283	21,015	53.5%	37,943	21,877	57.7%
Garage Door Replacement	3,202	2,577	80.5%	3,160	2,730	86.4%	3,140	2,830	90.1%
Grand Entrance (fiberglass)	8,349	4,907	58.8%	8,098	5,119	63.2%	7,971	5,545	69.6%
Major Kitchen Remodel	127,316	75,935	59.6%	122,150	71,893	58.9%	119,909	73,707	61.5%
Master Suite Addition	271,840	141,857	52.2%	254,939	136,763	53.6%	245,474	140,448	57.2%
Window Replacement (vinyl)	15,780	9,988	63.3%	15,030	10,353	68.9%	14,725	10,794	73.3%
Window Replacement (wood)	19,238	11,962	62.2%	18,399	11,600	63.0%	18,087	13,050	72.1%

CONFIDENCE LEVEL: 95% +/-7.4

CONFIDENCE LEVEL: 95% +/-2%

Midrange Project Descriptions

ATTIC INSULATION (FIBERGLASS)

Air-seal a 35x30 attic floor to address any air leakage from conditioned space to unconditioned space. Then add fiberglass loosefill insulation, placing it on top of existing insulation if present. Fiberglass loosefill is applied until thickness equating with R-30 insulation value is reached.

BACKUP POWER GENERATOR

Install modular propane gas-powered electrical backup system with capacity for providing 70 amps of emergency power in two 240-volt circuits and six 120-volt circuits. Assume existing propane gas supply. Include generator mounted on 2-by-4-foot concrete or composite pad, automatic transfer switch, load center, exterior disconnect, and grounding rod. Include 30 feet of conduit and electrical cable for generator connections; grounded cable for circuits; 5 feet of flexible fuel line for connection to existing rigid gas supply line; and automotive-type storage battery.

BASEMENT REMODEL

Finish the lower level of a house to create a 20-by-30-foot entertaining area with wet bar and a 5-by-8-foot full bathroom; construct 24 linear feet of finished partition to enclose mechanical area. Walls and ceilings are painted drywall throughout; exterior walls are insulated; painted trim throughout. Include five six-panel factory-painted hardboard doors with passage locksets. Electrical wiring to code.

Main room: Include 15 recessed ceiling light fixtures and three surface-mounted light fixtures, and a snap-together laminate flooring system.

Bathroom: Include standard white toilet, vanity with cultured marble top, resilient vinyl flooring, two-piece fiberglass shower unit, a light/fan combination, vanity light fixture, recessed medicine cabinet, towel and paper-holder hardware.

Bar area: Include 10 linear feet of raised-panel oak cabinets with laminate countertops, stainless steel bar sink, single-lever bar faucet, undercounter refrigerator, and vinyl floor tile.

BATHROOM ADDITION

Add a full 6-by-8-foot bathroom over a crawlspace with poured concrete walls. Include cultured-marble vanity top with molded sink; standard chrome faucets; 30-by-60-inch white fiberglass tub/shower with ceramic tile surround; single-lever temperature and pressure-balanced faucet; white low-profile toilet; general and spot lighting; electrical wiring to code; mirrored medicine cabinet; linen storage closet or cabinet; vinyl wallpaper; painted trim; and ceramic tile floor.

BATHROOM REMODEL

Update an existing 5-by-7-foot bathroom. Replace all fixtures to include 30-by-60-inch porcelain-on-steel tub with 4-by-4-inch

ceramic tile surround; new single-lever temperature and pressure-balanced shower control; standard white toilet; solid-surface vanity counter with integral sink; recessed medicine cabinet with light; ceramic tile floor; vinyl wallpaper.”

DECK ADDITION (COMPOSITE)

Add a 16-by-20-foot deck using pressure-treated joists supported by 4x4 posts anchored to concrete piers. Install composite deck material in a simple linear pattern. Include a built-in bench and planter of the same decking material. Include stairs, assuming three steps to grade. Provide a complete railing using a matching system made of the same composite as the decking material.

DECK ADDITION (WOOD)

Add a 16-by-20-foot deck using pressure-treated joists supported by 4x4 posts anchored to concrete piers. Install pressure-treated deck boards in a simple linear pattern. Include a built-in bench and planter of the same decking material. Include stairs, assuming three steps to grade. Provide a complete railing system using pressure-treated wood posts, railings, and balusters.

ENTRY DOOR REPLACEMENT (FIBERGLASS)

Remove existing 3-0/6-8 entry door and jambs and replace with fiberglass door with simulated wood grain, stained same color both sides; dual-pane, decorative half-glass panel with zinc coming; PVC-wrapped exterior trim in color to match existing trim; 2.5-inch interior colonial or ranch casings in hardwood stained to match door. Replace existing lockset with mortise lock with lever handle and integrated deadbolt in oil-rubbed bronze or satin-nickel finish.

ENTRY DOOR REPLACEMENT (STEEL)

Remove existing 3-0/6-8 entry door and jambs and replace with new 20-gauge steel unit, including clear dual-pane half-glass panel, jambs, and aluminum threshold with composite stop. Door is factory finished with same color both sides. Exterior brick-mold and 2.5-inch interior colonial or ranch casings in poplar or equal prefinished to match door color. Replace existing lockset with new bored-lock in brass or antique-brass finish.

FAMILY ROOM ADDITION

In a style appropriate to the existing house, add a 16-by-25-foot room on a crawlspace foundation with vinyl siding and fiberglass shingle roof. Include drywall interior with fiberglass insulation, pre-finished hardwood floor, and 180 square feet of glazing including windows, atrium-style exterior doors, and two operable skylights. Tie into existing HVAC. Add electrical system to code, including 12 recessed ceiling lights.

GARAGE DOOR REPLACEMENT

Remove and dispose of existing 16x7-foot garage door and tracks. Install new 4-section garage door on new galvanized steel tracks; reuse existing motorized opener. New door is uninsulated, single-

COST vs. VALUE 2016

layer, embossed steel with two coats of baked-on paint, galvanized steel hinges, and nylon rollers. 10-year limited warranty.

MAJOR KITCHEN REMODEL

Update an outmoded 200-square-foot kitchen with a functional layout of 30 linear feet of semi-custom wood cabinets, including a 3-by-5-foot island; laminate countertops; and standard double-tub stainless-steel sink with standard single-lever faucet. Include energy-efficient wall oven, cooktop, ventilation system, built-in microwave, dishwasher, garbage disposal, and custom lighting. Add new resilient flooring. Finish with painted walls, trim, and ceiling.

MANUFACTURED STONE VENEER

Remove a 300 square-foot continuous band of existing vinyl siding from the bottom third of the street-facing façade, beginning at the garage, continuing around the main entry, and ending at the corner of the side addition. Replace with adhered manufactured stone veneer, including 36 linear feet (LF) of sills, 40 LF of corners, and 1 address block. Installation includes 2 separate layers of water resistive barrier laid over bare sheathing, corrosion resistant lath and fasteners, and nominal ½-inch-thick mortar scratch coat and setting bed. Outline the archway using an 8x10-inch keystone and a soldier course of flats on either side.

MASTER SUITE ADDITION

Add a 24-by-16-foot master bedroom suite over a crawlspace. Include walk-in closet/dressing area, whirlpool tub in ceramic tile platform, separate 3-by-4-foot ceramic tile shower, and double-bowl vanity with solid-surface countertop. Bedroom floor is carpet; bathroom floor is ceramic tile. Painted walls, ceiling, and trim. General and spot lighting, exhaust fan; electrical wiring to code.

MINOR KITCHEN REMODEL

In a functional but dated 200-square-foot kitchen with 30 linear feet of cabinetry and countertops, leave cabinet boxes in place but replace fronts with new raised-panel wood doors and drawers, including new hardware. Replace wall oven, cooktop, and slide-in refrigerator with new energy-efficient models. Replace laminate countertops; install midpriced sink and faucet. Repaint trim, add wall covering, and remove and replace resilient flooring.

ROOFING REPLACEMENT

Remove existing roofing to bare wood sheathing and dispose of properly. Install 30 squares of 235-pound fiberglass asphalt shingles (min. 25-year warranty) with new felt underlayment, galvanized drip edge, and mill-finish aluminum flashing. Assume a 5-square hip roof; custom flashing at two average-size skylights; and custom cap treatment at vented ridge.

SIDING REPLACEMENT

Replace 1,250 square feet of existing siding with new siding. Include factory trim at all openings and corners.

TWO-STORY ADDITION

Add a first-floor family room and a second-floor bedroom with full bathroom in a 24-by-16-foot two-story wing over a crawlspace. Add new HVAC system to handle addition; electrical wiring to code.

Family room: Include a prefabricated gas fireplace; 11 3-by-5-foot double-hung insulated clad-wood windows; an atrium-style exterior door; carpeted floors; painted drywall on walls and ceiling; and painted trim.

Bathroom: 5 by 8 feet. Include a one-piece fiberglass tub/shower unit; standard white toilet; wood vanity with solid-surface countertop; resilient vinyl flooring; and mirrored medicine cabinet with built-in light strip; papered walls; and painted trim; exhaust fan. Bedroom: Include walk-in closet/dressing area; carpet; painted walls, ceiling, and trim; general and spot lighting

Upscale Project Descriptions

BATHROOM ADDITION

Add a new 100-square-foot master bathroom to existing master bedroom over a crawlspace. Include 42-by-42-inch neo-angle shower with ceramic tile walls with accent strip, recessed shower caddy, body-spray fixtures, and frameless glass enclosure. Include a customized whirlpool tub; stone countertop with two sinks; two mirrored medicine cabinets with lighting; a compartmentalized commode area with one-piece toilet; and a humidistat-controlled exhaust fan. Use all color fixtures. Use larger matching ceramic tiles on the floor, laid on the diagonal with ceramic tile base molding. Add general and spot lighting including waterproof shower fixture. Cabinetry shall include a custom drawer base and wall cabinets for a built-in look. Extend HVAC system, and include electric in-floor heating and heated towel bars.

BATHROOM REMODEL

Expand an existing 35-square-foot bathroom to 100 square feet within existing house footprint. Relocate all fixtures. Include 42-by-42-inch neo-angle shower with ceramic tile walls with accent strip, recessed shower caddy, body-spray fixtures, and frameless glass enclosure. Include a customized whirlpool tub; stone countertop with two sinks; two mirrored medicine cabinets with lighting; a compartmentalized commode area with one-piece toilet; and a humidistat-controlled exhaust fan. Use all color fixtures. Use larger matching ceramic tiles on the floor, laid on the diagonal with ceramic tile base molding. Add general and spot lighting including waterproof shower fixture. Cabinetry shall include a custom drawer base and wall cabinets for a built-in look. Extend HVAC system, and include electric in-floor heating and heated towel bars.

DECK ADDITION (COMPOSITE)

Add a 16-by-20-foot deck using pressure-treated joists supported by 4x4 posts anchored to concrete piers. At one corner, add a second, 10-foot-diameter six-sided platform one step down from the main deck. Include stairs on the smaller deck, assuming three steps to

COST vs. VALUE 2016

grade. Install composite deck material in a simple linear pattern. Trim the perimeter joists and wrap the 4x4 posts with composite materials to match the decking. Using the same decking material, include a built-in bench and planter along one 16-foot side. On the remaining perimeter, provide a railing system using composite material of contrasting or complementary colors that includes decorative balusters, post caps, and lighting. Railing and trim should provide for overall curb appeal to the outdoor living space by integrating the deck with the home's color and architecture, creating a custom look.

GARAGE DOOR REPLACEMENT

Remove and dispose of existing 16x7-foot garage door and tracks. Install new 4-section garage door on new heavy-duty galvanized steel tracks; reuse existing motorized opener. New door is high tensile strength steel with two coats of factory-applied paint, and foam insulated to minimum R-12, with thermal seals between pinch-resistant panels. Windows in top panel are ½-inch insulated glass. Hardware includes galvanized steel hinges and ball-bearing urethane rollers. Lifetime warranty.

GRAND ENTRANCE (FIBERGLASS)

Remove existing 3-0/6-8 entry door and cut and reframe opening for a 12-36-12 entrance door with dual sidelites. Move double-gang electrical box with two switches. Fiberglass door blank matches upscale entry, including color, threshold, lockset, and decorative half-glass; sidelites match door. PVC-wrapped exterior trim in color to match existing trim; wider interior colonial or ranch casings (3.5-inch to cover new jack studs) in hardwood stained to match door. All work to be completed in one day.

MAJOR KITCHEN REMODEL

Update outmoded 200-square-foot kitchen with 30 linear feet of top-of-the-line custom cherry cabinets with built-in sliding shelves and other interior accessories. Include stone countertops with imported ceramic- or glass-tile backsplash; built-in refrigerator, cooktop, and 36-inch commercial grade range and vent hood; built-in warming drawer, trash compactor, and built-in combination microwave and convection oven. Install high-end undermount sink with designer faucets and built-in water filtration system. Add new general and task lighting including low-voltage undercabinet lights. Install cork flooring, cherry trim.

MASTER SUITE ADDITION

Add a 32-by-20-foot master bedroom suite over a crawlspace.
Bedroom: Add a spacious sleeping area with lounging/sitting area adjacent to large master bathroom. Include custom bookcases and built-in storage with millwork details; high-end gas fireplace with stone hearth and custom mantle; and large walk-in closet/dressing area with natural light, mirrors, and linen storage. Add French doors to exterior.
Bathroom: Include a large walk-in shower with dual-shower

system, stone shower walls and floor, and custom frameless glass enclosure. Add corner-design whirlpool tub bordered on two sides by windows and built into granite or marble platform with custom cabinet front. Include two sinks in separate custom vanities with stone countertops and large mirrors. Create partitioned area for luxury one-piece toilet.

General: Add 5-foot-long hospitality center with bar sink, undercounter refrigerator, custom cabinetry, granite or marble countertop, and microwave. Include soundproofing, in-floor heating, custom wall finishes and hardware, general and spot lighting, and lighting controls."

WINDOW REPLACEMENT (VINYL)

Replace 10 existing 3-by-5-foot double-hung windows with insulated, low-E, simulated-divided-lite vinyl windows. Simulated wood-grain interior finish; custom-color exterior finish. Trim exterior to match existing; do not disturb existing interior trim.

WINDOW REPLACEMENT (WOOD)

Replace 10 existing 3-by-5-foot double-hung windows with insulated, low-E, simulated-divided-lite wood windows. Interior finish of stained hardwood; exterior finish of custom-color aluminum cladding. Trim exterior to match existing; do not disturb existing interior trim.

* Important Update: After posting the results of the 2016 Cost vs Value study it became apparent that the siding category would require further review.

In its original format the siding project category included four sub-categories - vinyl, foam backed vinyl, fiber cement and engineered wood. Cost vs Value is meant expressly to measure a real estate professional's perception of the ROI on the most popular remodeling and replacement projects. It is our belief that the increasingly complex number of siding projects available has made it difficult for real estate professionals to precisely distinguish among the options.

As a result of the confusion we believe to be associated with siding sub-categories we are restating the siding project report as one aggregate report, as we do with other projects. The aggregate view removes all confusion with projects and the list of sub-categories.

Our goal is to provide the most meaningful ROI based tool for professionals to utilize when working with homeowners on their remodeling and replacement projects. We believe the aggregate view of the siding market to be the most accurate way of providing that information for 2016.

Reuse and Licensing of Data

COPYRIGHTED MATERIAL

The Remodeling Cost vs. Value Report contains copyrighted material that is being made available in free downloadable PDF documents as a public service. Any reuse without express permission is prohibited, including but not limited to the following:

1. **RESALE.** The Cost vs. Value Report, whether in whole or part, may not be reproduced and sold in any format, including print, digital, electronic file, fax, or other medium.
2. **PUBLICATION OF DATA.** The Cost vs. Value Report, whether in whole or part, may not be distributed or published in any format, including print, digital, electronic file, fax, or other medium without obtaining express permission.
3. **APPLICATIONS/SOFTWARE.** The Cost vs. Value Report, whether in whole or part, may not be incorporated for use in any kind of computer- or Web-based application, calculator, database, or other automated, electronic, or digital device, instrument, or software except as licensed by Hanley Wood (see Licensing, below).

EXCERPTING COST VS. VALUE REPORT DATA

Excerpts of Cost vs. Value Report data may not take the form of a chart or table that simulates the manner in which the data is displayed at www.costvsvalue.com.

Excerpts of Cost vs. Value Report data may, however, be made as part of a narrative, provided that the sum total of all excerpts from any publisher in all formats does not exceed data from more than five projects.

ACKNOWLEDGING COST VS. VALUE AS DATA SOURCE

When excerpting Cost vs. Value Report data, refer to the “Remodeling 2016 Cost vs. Value Report” and include the URL www.costvsvalue.com, as in the following examples:

- “... according to the Remodeling 2016 Cost vs. Value Report (www.costvsvalue.com) ...”
- “... as compiled in the Remodeling 2016 Cost vs. Value Report (www.costvsvalue.com) ...”

This form of citation should be used in the first instance on every page of a multipage online story that cites the Cost vs. Value Report on multiple pages. Subsequent references on a given page may be foreshortened to “Cost vs. Value Report.”

All excerpts must be accompanied by one or more instances of the following acknowledgements of copyright:

“© 2016 Hanley Wood Media Inc. Complete data from the Remodeling 2016 Cost vs. Value Report can be downloaded free at www.costvsvalue.com.”

LICENSING OF 2016 COST VS. VALUE REPORT DATA

For permission to license data from the 2016 Cost vs. Value Report for use in any kind of computer- or Web-based application, calculator, database, or other automated, electronic, or digital device, instrument, or software, include the following in an email request to costvsvaluepermissions@hanleywood.com

- a description of the application, calculator, or device for which use of the data is being requested. Include the length of time for which the license is sought.
- a detailed description of the material to be licensed (e.g., specific projects, cities, etc.).